



Model: SEAGATE ST9300653SS  
S/N: 6XN2PS24



# Disk Erasure Report

Page 1 - Erasure Status

## Organisation Performing The Disk Erasure

Business Name: **GridJet**

Business Address:

Contact Name: **GDW-LDS-0**

Contact Phone:

## Customer Details

Name: **Gridjet**

Address:

Contact Name:

Contact Phone:

## Disk Information

Make/Model: **SEAGATE ST9300653SS**

Serial: **6XN2PS24**

Size(Apparent): **300 GB, 300000000000 bytes**

Bus: **SAS**

Size(Real): **300 GB, 300000000000 bytes**

## Disk Erasure Details

Start time: **2025/02/12 12:12:36**

End time: **2025/02/12 13:45:33**

Duration: **01:32:57**

Status: **ERASED** **See Warning !**

Method: **PRNG Stream**

PRNG algorithm: **XORshiro256**

Final Pass(Zeros/Ones/None): **Zeros**

Verify Pass(Last/All/None): **Verify Last**

\*Bytes Erased: **300000000000, (100.00%)**

Rounds(completed/requested): **1/1**

HPA/DCO: **Unknown**

HPA/DCO Size: **Unknown**

Errors(pass/sync/verify): **0/0/0**

Throughput: **161 MB/sec**

Information: **Warning** **HPA/DCO data unavailable, can not determine hidden sector status.**

\* bytes erased: The amount of drive that's been erased at least once

## Technician/Operator ID

Signature:

Name/ID: **Auto Wipe**



Model: SEAGATE ST9300653SS  
S/N: 6XN2PS24



# Disk Erasure Report

Page 2 - Smart Data

smartctl 7.2 2020-12-30 r5155 [x86\_64-linux-5.14.0-503.22.1.el9\_5.x86\_64] (local build)  
copyright (c) 2002-20, bruce allen, christian franke, www.smartmontools.org

=== start of information section ===

vendor: SEAGATE  
product: ST9300653SS  
revision: YS0A  
compliance: SPC-4  
user capacity: 300,000,000,000 bytes [300 GB]  
logical block size: 512 bytes  
rotation rate: 15000 rpm  
form factor: 2.5 inches  
logical unit id: 0x5000c5005eac22c3  
serial number: 6XN2PS24  
device type: disk  
transport protocol: SAS (SPL-3)  
local time is: Wed Feb 12 13:45:35 2025 GMT  
smart support is: Available - device has SMART capability.  
smart support is: Enabled  
temperature warning: Enabled

=== start of read smart data section ===

smart health status: OK

current drive temperature: 32 C  
drive trip temperature: 68 C

accumulated power on time, hours:minutes 11442:19  
manufactured in week 52 of year 2012  
specified cycle count over device lifetime: 10000  
accumulated start-stop cycles: 21  
elements in grown defect list: 2

vendor (seagate cache) information

blocks sent to initiator = 1310393928  
blocks received from initiator = 1257161298  
blocks read from cache and sent to initiator = 2225042440  
number of read and write commands whose size <= segment size = 173620177  
number of read and write commands whose size > segment size = 332

vendor (seagate/hitachi) factory information

number of hours powered up = 11442.32  
number of minutes until next internal smart test = 26

error counter log:

	errors corrected by		total	correction	gigabytes	total	
	ecc	rereads/	errors	algorithm	processed	uncorrected	
	fast   delayed	rewrites	corrected	invocations	[10^9 bytes]	errors	
read:	4272999469	0	0	4272999469	0	21280.287	0
write:	0	0	0	0	2	29406.056	1
verify:	1324320763	2	0	1324320765	3	126115.307	1

non-medium error count: 51

smart self-test log

num	test	status	segment	lifetime	lba_first_err	[sk asc asq]
	description		number	(hours)		
# 1	background short	completed	32	11419	-	[- - -]
# 2	background short	completed	32	11395	-	[- - -]
# 3	background short	completed	32	11371	-	[- - -]
# 4	background short	completed	32	11347	-	[- - -]
# 5	background short	completed	32	11323	-	[- - -]
# 6	background short	completed	32	11298	-	[- - -]
# 7	background short	completed	32	11274	-	[- - -]



Model: SEAGATE ST9300653SS  
S/N: 6XN2PS24



# Disk Erasure Report

Page 3 - Smart Data

# 8	background short	completed	32	11250	- [- - -]
# 9	background short	completed	32	11226	- [- - -]
#10	background short	completed	32	11202	- [- - -]
#11	background short	completed	32	11177	- [- - -]
#12	background short	completed	32	11153	- [- - -]
#13	background short	completed	32	11129	- [- - -]
#14	background short	completed	32	11105	- [- - -]
#15	background short	completed	32	11081	- [- - -]
#16	background short	completed	32	11056	- [- - -]
#17	background short	completed	32	11032	- [- - -]
#18	background short	completed	32	11008	- [- - -]
#19	background short	completed	32	10984	- [- - -]
#20	background short	completed	32	10960	- [- - -]

long (extended) self-test duration: 2052 seconds [34.2 minutes]