



Model: WD WD3001BKHG

S/N: WXU1E62RTCS3

Disk Erasure Report

Page 1 - Erasure Status



Organisation Performing The Disk Erasure

Business Name: **GridJet**

Business Address:

Contact Name: **GDW-LDS-5**

Contact Phone:

Customer Details

Name: **Gridjet**

Address:

Contact Name:

Contact Phone:

Disk Information

Make/Model: **WD WD3001BKHG**

Serial: **WXU1E62RTCS3**

Size(Apparent): **300 GB, 300000000000 bytes**

Bus: **SAS**

Size(Real): **300 GB, 300000000000 bytes**

Disk Erasure Details

Start time: **2025/02/12 12:15:24**

End time: **2025/02/12 14:21:02**

Duration: **02:05:38**

Status: **FAILED**

Method: **PRNG Stream**

PRNG algorithm: **XORshiro256**

Final Pass(Zeros/Ones/None): **Zeros**

Verify Pass(Last/All/None): **Verify Last**

*Bytes Erased: **300000000000, (100.00%)**

Rounds(completed/requested): **0/1**

HPA/DCO: **Unknown**

HPA/DCO Size: **Unknown**

Errors(pass/sync/verify): **1/0/139232**

Throughput: **119 MB/sec**

Information: **Warning** HPA/DCO data unavailable, can not determine hidden sector status.

* bytes erased: The amount of drive that's been erased at least once

Technician/Operator ID

Signature:

Name/ID: **Auto Wipe**



Model: WD WD3001BKHG

S/N: WXU1E62RTCS3

Disk Erasure Report

Page 2 - Smart Data



smartctl 7.2 2020-12-30 r5155 [x86_64-linux-5.14.0-503.23.1.el9_5.x86_64] (local build)
copyright (c) 2002-20, bruce allen, christian franke, www.smartmontools.org

=== start of information section ===

vendor: WD
product: WD3001BKHG
revision: D1S4
compliance: SPC-4
user capacity: 300,000,000,000 bytes [300 GB]
logical block size: 512 bytes
rotation rate: 10000 rpm
form factor: 2.5 inches
logical unit id: 0x50014ee7aab5ded4
serial number: WXU1E62RTCS3
device type: disk
transport protocol: SAS (SPL-3)
local time is: Wed Feb 12 14:21:03 2025 GMT
smart support is: Available - device has SMART capability.
smart support is: Enabled
temperature warning: Disabled or Not Supported

=== start of read smart data section ===

smart health status: OK

current drive temperature: 35 C
drive trip temperature: 64 C

accumulated power on time, hours:minutes 43926:05
manufactured in week 01 of year 2010
specified cycle count over device lifetime: 1048576
accumulated start-stop cycles: 23
specified load-unload count over device lifetime: 1114112
accumulated load-unload cycles: 4
elements in grown defect list: 0

error counter log:

	errors corrected by ecc	rereads/rewrites	total errors corrected	correction algorithm	gigabytes processed [10 ⁹ bytes]	total uncorrected errors	
read:	42755	50358	0	93113	50358	1264.110	0
write:	16	0	0	16	0	49749.989	0
verify:	2401	0	0	2401	0	459.944	0

non-medium error count: 115

smart self-test log

num	test description	status	segment number	lifetime (hours)	lba_first_err	[sk asc asq]
# 1	background short	completed	32	43912	-	[- - -]
# 2	background short	completed	32	43888	-	[- - -]
# 3	background short	completed	32	43864	-	[- - -]
# 4	background short	completed	32	43840	-	[- - -]
# 5	background short	completed	32	43816	-	[- - -]
# 6	background short	completed	32	43792	-	[- - -]
# 7	background short	completed	32	43768	-	[- - -]
# 8	background short	completed	32	43744	-	[- - -]
# 9	background short	completed	32	43720	-	[- - -]
#10	background short	completed	32	43696	-	[- - -]
#11	background short	completed	32	43672	-	[- - -]
#12	background short	completed	32	43648	-	[- - -]
#13	background short	completed	32	43624	-	[- - -]
#14	background short	completed	32	43600	-	[- - -]
#15	background short	completed	32	43576	-	[- - -]
#16	background short	completed	32	43552	-	[- - -]



Model: WD WD3001BKHG
S/N: WXU1E62RTCS3



Disk Erasure Report

Page 3 - Smart Data

#17	background short	completed	32	43528	- [- - -]
#18	background short	completed	32	43504	- [- - -]
#19	background short	completed	32	43480	- [- - -]
#20	background short	completed	32	43456	- [- - -]

long (extended) self-test duration: 2132 seconds [35.5 minutes]