



Model: WD WD3001BKHG

S/N: WXU1E62RSXK8

Disk Erasure Report

Page 1 - Erasure Status



Organisation Performing The Disk Erasure

Business Name: **GridJet**

Business Address:

Contact Name: **GDW-LDS-5**

Contact Phone:

Customer Details

Name: **Gridjet**

Address:

Contact Name:

Contact Phone:

Disk Information

Make/Model: **WD WD3001BKHG**

Serial: **WXU1E62RSXK8**

Size(Apparent): **300 GB, 300000000000 bytes**

Bus: **SAS**

Size(Real): **300 GB, 300000000000 bytes**

Disk Erasure Details

Start time: **2025/02/12 12:15:50**

End time: **2025/02/12 14:23:13**

Duration: **02:07:23**

Status: **ERASED** **See Warning !**

Method: **PRNG Stream**

PRNG algorithm: **XORshiro256**

Final Pass(Zeros/Ones/None): **Zeros**

Verify Pass(Last/All/None): **Verify Last**

*Bytes Erased: **300000000000, (100.00%)**

Rounds(completed/requested): **1/1**

HPA/DCO: **Unknown**

HPA/DCO Size: **Unknown**

Errors(pass/sync/verify): **0/0/0**

Throughput: **117 MB/sec**

Information: **Warning** **HPA/DCO data unavailable, can not determine hidden sector status.**

* bytes erased: The amount of drive that's been erased at least once

Technician/Operator ID

Signature:

Name/ID: **Auto Wipe**



Model: WD WD3001BKHG

S/N: WXU1E62RSXK8

Disk Erasure Report

Page 2 - Smart Data



smartctl 7.2 2020-12-30 r5155 [x86_64-linux-5.14.0-503.23.1.el9_5.x86_64] (local build)
copyright (c) 2002-20, bruce allen, christian franke, www.smartmontools.org

=== start of information section ===

vendor: WD
product: WD3001BKHG
revision: D1S4
compliance: SPC-4
user capacity: 300,000,000,000 bytes [300 GB]
logical block size: 512 bytes
rotation rate: 10000 rpm
form factor: 2.5 inches
logical unit id: 0x50014ee7000b4050
serial number: WXU1E62RSXK8
device type: disk
transport protocol: SAS (SPL-3)
local time is: Wed Feb 12 14:23:15 2025 GMT
smart support is: Available - device has SMART capability.
smart support is: Enabled
temperature warning: Disabled or Not Supported

=== start of read smart data section ===

smart health status: OK

current drive temperature: 36 C
drive trip temperature: 64 C

accumulated power on time, hours:minutes 43926:04
manufactured in week 01 of year 2010
specified cycle count over device lifetime: 1048576
accumulated start-stop cycles: 23
specified load-unload count over device lifetime: 1114112
accumulated load-unload cycles: 2
elements in grown defect list: 0

error counter log:

	errors corrected by ecc	rereads/rewrites	total errors corrected	correction algorithm invocations	gigabytes processed [10 ⁹ bytes]	total uncorrected errors	
read:	29444	37	0	29481	37	1240.422	0
write:	15	1	0	16	1	49665.286	0
verify:	1141	1	0	1142	1	451.536	0

non-medium error count: 115

smart self-test log

num	test description	status	segment number	lifetime (hours)	lba_first_err	[sk asc asq]
# 1	background short	completed	32	43911	-	[- - -]
# 2	background short	completed	32	43887	-	[- - -]
# 3	background short	completed	32	43863	-	[- - -]
# 4	background short	completed	32	43839	-	[- - -]
# 5	background short	completed	32	43815	-	[- - -]
# 6	background short	completed	32	43791	-	[- - -]
# 7	background short	completed	32	43767	-	[- - -]
# 8	background short	completed	32	43743	-	[- - -]
# 9	background short	completed	32	43719	-	[- - -]
#10	background short	completed	32	43695	-	[- - -]
#11	background short	completed	32	43671	-	[- - -]
#12	background short	completed	32	43647	-	[- - -]
#13	background short	completed	32	43623	-	[- - -]
#14	background short	completed	32	43599	-	[- - -]
#15	background short	completed	32	43575	-	[- - -]
#16	background short	completed	32	43551	-	[- - -]



Model: WD WD3001BKHG
S/N: WXU1E62RSXK8



Disk Erasure Report

Page 3 - Smart Data

#17	background short	completed	32	43527	-	[-	-	-]
#18	background short	completed	32	43503	-	[-	-	-]
#19	background short	completed	32	43479	-	[-	-	-]
#20	background short	completed	32	43455	-	[-	-	-]

long (extended) self-test duration: 2132 seconds [35.5 minutes]