



Model: SEAGATE ST91000640SS  
S/N: 9XG18Z1T



# Disk Erasure Report

Page 1 - Erasure Status

## Organisation Performing The Disk Erasure

Business Name: **GridJet**

Business Address:

Contact Name: **GDW-LDS-5**

Contact Phone:

## Customer Details

Name: **Gridjet**

Address:

Contact Name:

Contact Phone:

## Disk Information

Make/Model: **SEAGATE ST91000640SS**

Serial: **9XG18Z1T**

Size(Apparent): **1000 GB, 1000204886016 bytes**

Bus: **SAS**

Size(Real): **1000 GB, 1000204886016 bytes**

## Disk Erasure Details

Start time: **2025/02/15 10:35:29**

End time: **2025/02/15 20:31:59**

Duration: **09:56:30**

Status: **ERASED** **See Warning !**

Method: **PRNG Stream**

PRNG algorithm: **XORshiro256**

Final Pass(Zeros/Ones/None): **Zeros**

Verify Pass(Last/All/None): **Verify Last**

\*Bytes Erased: **1000204886016, (100.00%)**

Rounds(completed/requested): **1/1**

HPA/DCO: **Unknown**

HPA/DCO Size: **Unknown**

Errors(pass/sync/verify): **0/0/0**

Throughput: **83 MB/sec**

Information: **Warning** **HPA/DCO data unavailable, can not determine hidden sector status.**

\* bytes erased: The amount of drive that's been erased at least once

## Technician/Operator ID

Signature:

Name/ID: **Auto Wipe**



Model: SEAGATE ST91000640SS  
S/N: 9XG18Z1T



# Disk Erasure Report

Page 2 - Smart Data

smartctl 7.2 2020-12-30 r5155 [x86\_64-linux-5.14.0-503.23.1.el9\_5.x86\_64] (local build)  
copyright (c) 2002-20, bruce allen, christian franke, www.smartmontools.org

=== start of information section ===

vendor: SEAGATE  
product: ST91000640SS  
revision: AS0D  
compliance: SPC-4  
user capacity: 1,000,204,886,016 bytes [1.00 TB]  
logical block size: 512 bytes  
rotation rate: 7200 rpm  
form factor: 2.5 inches  
logical unit id: 0x5000c50041570feb  
serial number: 9XG18Z1T  
device type: disk  
transport protocol: SAS (SPL-3)  
local time is: Sat Feb 15 20:32:00 2025 GMT  
smart support is: Available - device has SMART capability.  
smart support is: Enabled  
temperature warning: Disabled or Not Supported

=== start of read smart data section ===

smart health status: OK

current drive temperature: 40 C  
drive trip temperature: 68 C

accumulated power on time, hours:minutes 22209:57  
manufactured in week 12 of year 2012  
specified cycle count over device lifetime: 10000  
accumulated start-stop cycles: 22  
specified load-unload count over device lifetime: 300000  
accumulated load-unload cycles: 11285  
elements in grown defect list: 1

vendor (seagate cache) information

blocks sent to initiator = 3044391458  
blocks received from initiator = 539842071  
blocks read from cache and sent to initiator = 2373437088  
number of read and write commands whose size <= segment size = 141987825  
number of read and write commands whose size > segment size = 0

vendor (seagate/hitachi) factory information

number of hours powered up = 22209.95  
number of minutes until next internal smart test = 1

error counter log:

|         | errors corrected by |          |          | total      | correction  |           | total       |
|---------|---------------------|----------|----------|------------|-------------|-----------|-------------|
|         | ecc                 | rereads/ | rewrites | errors     | algorithm   | gigabytes | uncorrected |
|         | fast                | delayed  |          | corrected  | invocations | processed | errors      |
| read:   | 2567889654          | 0        | 0        | 2567889654 | 0           | 33530.128 | 0           |
| write:  | 0                   | 0        | 0        | 0          | 0           | 22274.704 | 0           |
| verify: | 3443145882          | 0        | 0        | 3443145882 | 0           | 1013.950  | 0           |

non-medium error count: 521

smart self-test log

| num | test             | status    | segment | lifetime | lba_first_err | [sk asc asq] |
|-----|------------------|-----------|---------|----------|---------------|--------------|
|     | description      |           | number  | (hours)  |               |              |
| # 1 | background long  | completed | 32      | 65535    | -             | [- - -]      |
| # 2 | background short | completed | 32      | 65535    | -             | [- - -]      |
| # 3 | background short | completed | 32      | 65535    | -             | [- - -]      |
| # 4 | background short | completed | 32      | 65535    | -             | [- - -]      |



Model: SEAGATE ST91000640SS  
S/N: 9XG18Z1T

# Disk Erasure Report

Page 3 - Smart Data



---

long (extended) self-test duration: 12198 seconds [203.3 minutes]